058



OIPE

RAW SEQUENCE LISTING

DATE: 07/02/2002

PATENT APPLICATION: US/10/057,467

TIME: 14:04:49

Input Set : N:\Crf3\RULE60\10057467.raw
Output Set: N:\CRF3\07022002\J057467.raw

SEQUENCE LISTING

```
3 (1) GENERAL INFORMATION:
             (i) APPLICANT: Nolan, Garry P.
      6
                            Rothenberg, Michael S.
            (ii) TITLE OF INVENTION: Methods for Screening for Transdominant
      8
                                      Effector Peptides and RNA Molecules
      9
     11
           (iii) NUMBER OF SEQUENCES: 14
            (iv) CORRESPONDENCE ADDRESS:
     13
                  (A) ADDRESSEE: Flehr, Hohbach, Test, Albritton & Herbert
     14
     15
                  (B) STREET: 4 Embarcadero Center, Suite 3400
     16
                  (C) CITY: San Francisco
     17
                  (D) STATE: CA
                                                              ENTERED
     18
                  (E) COUNTRY: USA
     19
                  (F) ZIP: 94111-4187
     21
             (V) COMPUTER READABLE FORM:
     22
                  (A) MEDIUM TYPE: Floppy disk
                  (B) COMPUTER: IBM PC compatible
     2.3
     24
                  (C) OPERATING SYSTEM: PC-DOS/MS-DOS
     25
                  (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
     27
            (vi) CURRENT APPLICATION DATA:
C--> 28
                  (A) APPLICATION NUMBER: US/10/057,467
C--> 29
                  (B) FILING DATE: 22-Jan-2002
                  (C) CLASSIFICATION:
     30
           (vii) PRIOR APPLICATION DATA:
     32
     33
                  (A) APPLICATION NUMBER: 08/589,109
     34
                  (B) FILING DATE: 23-JAN-1996
     38
          (viii) ATTORNEY/AGENT INFORMATION:
     39
                  (A) NAME: Silva, Robin M.
     40
                  (B) REGISTRATION NUMBER: 38,304
     41
                  (C) REFERENCE/DOCKET NUMBER: A-64259/DJB/RMS
            (ix) TELECOMMUNICATION INFORMATION:
     43
                  (A) TELEPHONE: (415) 781-1989
     44
                  (B) TELEFAX: (415) 949-8711
     45
     47
        (2) INFORMATION FOR SEQ ID NO: 1:
     49
             (i) SEQUENCE CHARACTERISTICS:
     50
                  (A) LENGTH: 9 amino acids
     51
                  (B) TYPE: amino acid
     52
                  (C) STRANDEDNESS:
                  (D) TOPOLOGY: Not Relevant
W--> 53
     55
            (ii) MOLECULE TYPE: peptide
     57
            (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:
W--> 59
             Xaa Xaa Xaa Pro Pro Xaa Pro Xaa Xaa
     60
                             5
             1
```

DATE: 07/02/2002

TIME: 14:04:49 PATENT APPLICATION: US/10/057,467 Input Set : N:\Crf3\RULE60\10057467.raw Output Set: N:\CRF3\07022002\J057467.raw 62 (2) INFORMATION FOR SEQ ID NO: 2: (i) SEQUENCE CHARACTERISTICS: 64 65 (A) LENGTH: 92 base pairs 66 (B) TYPE: nucleic acid (C) STRANDEDNESS: double 67 68 (D) TOPOLOGY: linear 70 (ii) MOLECULE TYPE: cDNA (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2: 74 GCTTAGCAAG ATCTCTACGG TGGACCKNNK NNKNNKNN NKNNKNNKNN KNNKNNCCCC 60 76 ACTCCCATGG TCCTACGTAC CACCACACTG GG 92 78 (2) INFORMATION FOR SEQ ID NO: 3: 80 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 34 base pairs 81 82 (B) TYPE: nucleic acid 83 (C) STRANDEDNESS: double 84 (D) TOPOLOGY: linear 86 (ii) MOLECULE TYPE: cDNA (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3: 90 GCTTAGCAAG ATCTGTGTGT CAGTTAGGGT GTGG 34 92 (2) INFORMATION FOR SEQ ID NO: 4: 94 (i) SEQUENCE CHARACTERISTICS: 95 (A) LENGTH: 74 base pairs 96 (B) TYPE: nucleic acid 97 (C) STRANDEDNESS: double 98 (D) TOPOLOGY: linear 100 (ii) MOLECULE TYPE: cDNA 102 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4: 60 104 CTGGAGAACC AGGACCATGG GCNNKNNKNN KNNKNNKNNK NNKNNKNNKN NKGGGCCCCC 74 106 TTAAACCATT AAAT 108 (2) INFORMATION FOR SEQ ID NO: 5: (i) SEQUENCE CHARACTERISTICS: 110 111 (A) LENGTH: 71 base pairs (B) TYPE: nucleic acid 112 113 (C) STRANDEDNESS: double 114 (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA 116 118 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5: 60 120 CTGGAGAACC AGGACCATGG GCNNKNNKNN KCCTCCCNNK CCTNNKNNKG GGCCCCCTTA 71 122 AACCATTAAA T 124 (2) INFORMATION FOR SEQ ID NO: 6: (i) SEQUENCE CHARACTERISTICS: 126 (A) LENGTH: 26 base pairs 127 128 (B) TYPE: nucleic acid 129 (C) STRANDEDNESS: double 130 (D) TOPOLOGY: linear 132 (ii) MOLECULE TYPE: cDNA 134 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6: 26

RAW SEQUENCE LISTING

136 TCATGCATCC AATTTAATGG TTTAAG
138 (2) INFORMATION FOR SEQ ID NO: 7:

RAW SEQUENCE LISTING DATE: 07/02/2002 PATENT APPLICATION: US/10/057,467 TIME: 14:04:49

Input Set : N:\Crf3\RULE60\10057467.raw
Output Set: N:\CRF3\07022002\J057467.raw

140	(i) S	EQUENCE CHA	RACTERISTIC	s:			
141	(-, <u>-</u>						
142	(B) TYPE: nucleic acid						
143	· ,						
144	(D) TOPOLOGY: linear						
146	(ii) MOLECULE TYPE: DNA (genomic)						
148							
150	• •	CACCTGTAGG		-		TGCAAGGCAT	60
152	GGAAAATACA	TAACTGAGAA	TAGAGAAGTT	CAGATCAAGG	TTAGGAACAG	AGAGACAGCA	120
		CAAACAGGAT					180
		CCCAGATGCG					240
158	CCAGGGTGCC	CCAAGGACCT	GAAAATGACC	CTGTGCCTTA	TTTGAACTAA	CCAATCAGTT	300
160	CGCTTCTCGC	TTCTGTTCGC	GCGCTTCTGC	TCCCCGAGCT	CAATAAAAGA	GCCCACAACC	360
162	CCTCACTCGG	CGCGCCAGTC	CTCCGATAGA	CTGCGTCGCC	CGGGTACCCG	TATTCCCAAT	420
164	AAAGCCTCTT	GCTGTTTGCA	TCCGAATCGT	GGACTCGCTG	ATCCTTGGGA	GGGTCTCCTC	480
166	AGATTGATTG	ACTGCCCACC	TCGGGGGTCT	TTCATTTGGA	GGTTCCACCG	AGATTTGGAG	540
168	ACCCCTGCCT	AGGGACCACC	GACCCCCCG	CCGGGAGGTA	AGCTGGCCAG	CGGTCGTTTC	600
170	CTGTCTGTCT	CTGTCTTTGT	GCGTGTTTGT	GCCGGCATCT	AATGTTTGCG	CCTGCGTCTG	660
172	TACTAGTTAG	CTAACTAGCT	CTGTATCTGG	CGGACCCGTG	GTGGAACTGA	CGAGTTCTGA	720
174	ACACCCGGCC	GCAACCCTGG	GAGACGTCCC	AGGGACTTTG	GGGGCCGTTT	TTGTGGCCCG	780
176	ACCTGAGGAA	GGGAGTCGAT	GTGGAATCCG	ACCCCGTCAG	GATATGTGGT	TCTGGTAGGA	840
178	GACGAGAACC	TAAAACAGTT	CCCGCCTCCG	TCTGAATTTT	TGCTTTCGGT	TTGGAACCGA	900
180	AGCCGCGCGT	CTTGTCTGCT	GCAGCGCTGC	AGCATCGTTC	TGTGTTCTCT	CTGTCTGACT	960
182	GTGTTTCTGT	ATTTGTCTGA	AAATTAGGGC	CAGACTGTTA	CCACTCCCTT	AAGTTTGACC	1020
184	TTAGGTCACT	GGAAAGATGT	CGAGCGGATC	GCTCACAACC	AGTCGGTAGA	TGTCAAGAAG	1080
		TTACCTTCTG					1140
188	GACGGCACCT	TTAACCGAGA	CCTCATCACC	CAGGTTAAGA	TCAAGGTCTT	TTCACCTGGC	1200
190	CCGCATGGAC	ACCCAGACCA	GGTCCCCTAC	ATCGTGACCT	GGGAAGCCTT	GGCTTTTGAC	1260
		GGGTCAAGCC					1320
		TCCCCCTTGA					1380
196	GCCCTCACTC	CTTCTCTAGG	CGCCGGAATT	CCAGGACCAT	GGGCGGCCC	CCTTAAACCA	1440
		AAAATAAAGG					1500
200	ATTTTATTTA	GTCTCCAGAA	AAAGGGGGGA	ATGAAAGACC	CCACCTGTAG	GTTTGGCAAG	1560
202	CTAGCTTAAG	TAACGCCATT	TTGCAAGGCA	TGGAAAATAC	ATAACTGAGA	ATAGAGAAGT	1620
204	TCAGATCAAG	GTTAGGAACA	GAGAGACAGC	AGAATATGGG	CCAAACAGGA	TATCTGTGGT	1680
		TGCCCCGGCT					1740
		CTAGAGAACC					1800
		ATTTGAACTA					1860
		TCAATAAAAG					1920
		CCGGGTACCC					1980
		TTCCTTGGGA					2040
		AATCATGGTC					2100
		TACGAGCCGG					2160
		TAATTGCGTT					2220
		AATGAATCGG					2280
		CGCTCACTGA					2340
		AGGCGGTAAT					2400
		AAGGCCAGCA					2460
232	TTCCATAGGC	TCCGCCCCC	TGACGAGCAT	CACAAAAATC	GACGCTCAAG	TCAGAGGTGG	.2520

RAW SEQUENCE LISTING DATE: 07/02/2002 PATENT APPLICATION: US/10/057,467 TIME: 14:04:49

Input Set : N:\Crf3\RULE60\10057467.raw
Output Set: N:\CRF3\07022002\J057467.raw

```
234 CGAAACCCGA CAGGACTATA AAGATACCAG GCGTTTCCCC CTGGAAGCTC CCTCGTGCGC
                                                                               2580
     236 TCTCCTGTTC CGACCCTGCC GCTTACCGGA TACCTGTCCG CCTTTCTCCC TTCGGGAAGC
                                                                               2640
     238 GTGGCGCTTT CTCATAGCTC ACGCTGTAGG TATCTCAGTT CGGTGTAGGT CGTTCGCTCC
                                                                               2700
     240 AAGCTGGGCT GTGTGCACGA ACCCCCCGTT CAGCCCGACC GCTGCGCCTT ATCCGGTAAC
                                                                               2760
     242 TATCGTCTTG AGTCCAACCC GGTAAGACAC GACTTATCGC CACTGGCAGC AGCCACTGGT
                                                                               2820
     244 AACAGGATTA GCAGAGCGAG GTATGTAGGC GGTGCTACAG AGTTCTTGAA GTGGTGGCCT
                                                                               2880
     246 AACTACGGCT ACACTAGAAG GACAGTATTT GGTATCTGCG CTCTGCTGAA GCCAGTTACC
                                                                               2940
     248 TTCGGAAAAA GAGTTGGTAG CTCTTGATCC GGCAAACAAA CCACCGCTGG TAGCGGTGGT
                                                                               3000
     250 TTTTTTGTTT GCAAGCAGCA GATTACGCGC AGAAAAAAAG GATCTCAAGA AGATCCTTTG
                                                                               3060
     252 ATCTTTCTA CGGGGTCTGA CGCTCAGTGG AACGAAAACT CACGTTAAGG GATTTTGGTC
                                                                               3120
     254 ATGAGATTAT CAAAAAGGAT CTTCACCTAG ATCCTTTTAA ATTAAAAATG AAGTTTTAAA
                                                                               3180
     256 TCAATCTAAA GTATATATGA GTAAACTTGG TCTGACAGTT ACCAATGCTT AATCAGTGAG
                                                                               3240
     258 GCACCTATCT CAGCGATCTG TCTATTTCGT TCATCCATAG TTGCCTGACT CCCCGTCGTG
                                                                               3300
     260 TAGATAACTA CGATACGGGA GGGCTTACCA TCTGGCCCCA GTGCTGCAAT GATACCGCGA
                                                                               3360
     262 GACCCACGCT CACCGGCTCC AGATTTATCA GCAATAAACC AGCCAGCCGG AAGGGCCGAG
                                                                               3420
     264 CGCAGAAGTG GTCCTGCAAC TTTATCCGCC TCCATCCAGT CTATTAATTG TTGCCGGGAA
                                                                               3480
     266 GCTAGAGTAA GTAGTTCGCC AGTTAATAGT TTGCGCAACG TTGTTGCCAT TGCTACAGGC
                                                                               3540
     268 ATCGTGGTGT CACGCTCGTC GTTTGGTATG GCTTCATTCA GCTCCGGTTC CCAACGATCA
                                                                               3600
     270 AGGCGAGTTA CATGATCCCC CATGTTGTGC AAAAAAGCGG TTAGCTCCTT CGGTCCTCCG
     272 ATCGTTGTCA GAAGTAAGTT GGCCGCAGTG TTATCACTCA TGGTTATGGC AGCACTGCAT
     274 AATTCTCTTA CTGTCATGCC ATCCGTAAGA TGCTTTTCTG TGACTGGTGA GTACTCAACC
     276 AAGTCATTCT GAGAATAGTG TATGCGGCGA CCGAGTTGCT CTTGCCCGGC GTCAATACGG
     278 GATAATACCG CGCCACATAG CAGAACTTTA AAAGTGCTCA TCATTGGAAA ACGTTCTTCG
                                                                               3900
     280 GGGCGAAAAC TCTCAAGGAT CTTACCGCTG TTGAGATCCA GTTCGATGTA ACCCACTCGT
                                                                               3960
     282 GCACCCAACT GATCTTCAGC ATCTTTTACT TTCACCAGCG TTTCTGGGTG AGCAAAAACA
                                                                               4020
     284 GGAAGGCAAA ATGCCGCAAA AAAGGGAATA AGGGCGACAC GGAAATGTTG AATACTCATA
                                                                               4080
     286 CTCTTCCTTT TTCAATATTA TTGAAGCATT TATCAGGGTT ATTGTCTCAT GAGCGGATAC
                                                                               4140
     288 ATATTTGAAT GTATTTAGAA AAATAAACAA ATAGGGGTTC CGCGCACATT TCCCCGAAAA
                                                                               4200
     290 GTGCCACCTG ACGTCTAAGA AACCATTATT ATCATGACAT TAACCTATAA AAATAGGCGT
                                                                               4260
     292 ATCACGAGGC CCTTTCGTCT CGCGCGTTTC GGTGATGACG GTGAAAACCT CTGACACATG
                                                                               4320
     294 CAGCTCCGG AGACGGTCAC AGCTTGTCTG TAAGCGGATG CCGGGAGCAG ACAAGCCCGT
                                                                               4380
     296 CAGGGCGCGT CAGCGGGTGT TGGCGGGTGT CGGGGCTGGC TTAACTATGC GGCATCAGAG
                                                                               4440
     298 CAGATTGTAC TGAGAGTGCA CCATATGCGG TGTGAAATAC CGCACAGATG CGTAAGGAGA
                                                                               4500
     300 AAATACCGCA TCAGGCGCCA TTCGCCATTC AGGCTGCGCA ACTGTTGGGA AGGGCGATCG
                                                                               4560
     302 GTGCGGGCCT CTTCGCTATT ACGCCAGCTG GCGAAAGGGG GATGTGCTGC AAGGCGATTA
                                                                               4620
     304 AGTTGGGTAA CGCCAGGGTT TTCCCAGTCA CGACGTTGTA AAACGACGGC CAGTGCCACG
                                                                               4680
     306 CTCTCCCTTA TGCGACTCCT GCATTAGGAA GCAGCCCAGT AGTAGGTTGA GGCCGTTGAG
                                                                               4740
     308 CACCGCCGCC GCAAGGAATG GTGCATGCAA GGAGATGGCG CCCAACAGTC CCCCGGCCAC
                                                                               4800
     310 GGGGCCTGCC ACCATACCCA CGCCGAAACA AGCGCTCATG AGCCCGAAGT GGCGAGCCCG
                                                                               4860
     312 ATCTTCCCCA TCGGTGATGT CGGCGATATA GGCGCCAGCA ACCGCACCTG TGGCGCCGGT
                                                                               4920
     314 GATGCCGGCC ACGATGCGTC CGGCGTAGAG
                                                                               4950
     316 (2) INFORMATION FOR SEQ ID NO: 8:
     318
              (i) SEQUENCE CHARACTERISTICS:
     319
                   (A) LENGTH: 7 amino acids
     320
                   (B) TYPE: amino acid
     321
                   (C) STRANDEDNESS:
W--> 322
                   (D) TOPOLOGY: Not Relevant
     324
             (ii) MOLECULE TYPE: peptide
     326
             (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:
```

- *-*-

DATE: 07/02/2002

```
PATENT APPLICATION: US/10/057,467
                                                               TIME: 14:04:49
                      Input Set : N:\Crf3\RULE60\10057467.raw
                     Output Set: N:\CRF3\07022002\J057467.raw
     328
              Pro Lys Lys Lys Arg Lys Val
     329
              1
                               5
     331 (2) INFORMATION FOR SEQ ID NO: 9:
              (i) SEQUENCE CHARACTERISTICS:
     334
                   (A) LENGTH: 20 amino acids
     335
                   (B) TYPE: amino acid
     336
                   (C) STRANDEDNESS:
W--> 337
                   (D) TOPOLOGY: Not Relevant
     339
             (ii) MOLECULE TYPE: peptide
     341
             (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:
     343
              Ala Val Lys Arg Pro Ala Ala Thr Lys Lys Ala Gly Gln Ala Lys Lys
     344
     346
              Lys Lys Leu Asp
     347
                          20
     349 (2) INFORMATION FOR SEQ ID NO: 10:
     351
              (i) SEQUENCE CHARACTERISTICS:
     352
                   (A) LENGTH: 4 amino acids
     353
                   (B) TYPE: amino acid
     354
                   (C) STRANDEDNESS:
W--> 355
                   (D) TOPOLOGY: Not Relevant
     357
             (ii) MOLECULE TYPE: peptide
     359
             (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:
     361
              Gly Gly Pro Pro
     362
     364 (2) INFORMATION FOR SEQ ID NO: 11:
     366
              (i) SEQUENCE CHARACTERISTICS:
     367
                   (A) LENGTH: 48 base pairs
     368
                   (B) TYPE: nucleic acid
     369
                   (C) STRANDEDNESS: unknown
     370
                   (D) TOPOLOGY: unknown
     372
             (ii) MOLECULE TYPE: cDNA
     374
             (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:
     376 ATGGGAAAGA AGAAGAAGAA GAAGAAGAAG AAGAAGGGG GGCCCCCC
                                                                                   48
     378 (2) INFORMATION FOR SEQ ID NO: 12:
     380
              (i) SEQUENCE CHARACTERISTICS:
     381
                   (A) LENGTH: 30 base pairs
     382
                   (B) TYPE: nucleic acid
     383
                   (C) STRANDEDNESS: unknown
     384
                   (D) TOPOLOGY: unknown
     386
             (ii) MOLECULE TYPE: cDNA
     388
             (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:
     390 CCTCCTCCTC CTCCTCCTCC TCCTCCTC
                                                                                   30
     392 (2) INFORMATION FOR SEQ ID NO: 13:
     394
              (i) SEQUENCE CHARACTERISTICS:
     395
                   (A) LENGTH: 30 base pairs
     396
                   (B) TYPE: nucleic acid
     397
                   (C) STRANDEDNESS: unknown
    398
                   (D) TOPOLOGY: unknown
```

RAW SEQUENCE LISTING

(ii) MOLECULE TYPE: cDNA

400

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 07/02/2002 PATENT APPLICATION: US/10/057,467 TIME: 14:04:50

Input Set : N:\Crf3\RULE60\10057467.raw
Output Set: N:\CRF3\07022002\J057467.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos.1,2,3,6,8,9

Seq#:2; N Pos. 28,29,31,32,34,35,37,38,40,41,43,44,46,47,49,50,52,53,55,56 Seq#:4; N Pos. 23,24,26,27,29,30,32,33,35,36,38,39,41,42,44,45,47,48,50,51

Seq#:5; N Pos. 23,24,26,27,29,30,38,39,44,45,47,48

Seq#:13; N Pos. 3,6,9,12,15,18,21,24,27,30 Seq#:14; N Pos. 3,6,9,12,15,18,21,24,27,30 VERIFICATION SUMMARY DATE: 07/02/2002 PATENT APPLICATION: US/10/057,467 TIME: 14:04:50

Input Set : N:\Crf3\RULE60\10057467.raw
Output Set: N:\CRF3\07022002\J057467.raw

L:28 M:220 C: Keyword misspelled or invalid format, [(A) APPLICATION NUMBER:] L:29 M:220 C: Keyword misspelled or invalid format, [(B) FILING DATE:]

L:53 M:246 W: Invalid value of Alpha Sequence Header Field, [TOPOLOGY:], SeqNo=1

L:59 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0

L:322 M:246 W: Invalid value of Alpha Sequence Header Field, [TOPOLOGY:], SeqNo=8 L:337 M:246 W: Invalid value of Alpha Sequence Header Field, [TOPOLOGY:], SeqNo=9 L:355 M:246 W: Invalid value of Alpha Sequence Header Field, [TOPOLOGY:], SeqNo=10